

# Butyrate – A Tiny Molecule with Big Potential for Health and Healing

Analysis by [Dr. Joseph Mercola](#)

February 10, 2025

## STORY AT-A-GLANCE

- › Butyrate is a short-chain fatty acid (SCFA) produced when gut bacteria ferment dietary fiber. It provides energy for colon cells and offer health benefits beyond basic nutrition
- › Research suggests butyrate helps manage inflammatory bowel disease (IBD) by reducing inflammation, improving symptoms and strengthening gut barrier integrity
- › Laboratory studies show butyrate helps inhibit cancer cell growth and trigger cell death in colorectal cancer cells, with clinical trials exploring its use alongside traditional treatments
- › Butyrate has been shown to improve insulin sensitivity and glucose metabolism for metabolic disorders, while also influencing appetite-regulating hormones
- › Studies show butyrate protects against neurodegenerative diseases by reducing brain inflammation and enhancing neuronal repair and survival

Butyrate is a short-chain fatty acid (SCFA) produced in your gut when beneficial bacteria ferment dietary fiber, which your body cannot digest on its own.

As the primary energy source for colonocytes (the cells lining your colon), butyrate provides up to 70% of their energy needs.<sup>1</sup> However, its benefits go far beyond just fueling those cells – it also reduces inflammation, strengthens your gut barrier and supports immune system balance.<sup>2</sup> These properties make butyrate a promising molecule for managing a wide variety of conditions and improving overall health.

Your ability to produce butyrate depends on a complex ecosystem of beneficial bacteria in your gut. Both environmental toxins and poor dietary choices can disrupt this microbial balance, reducing your gut's capacity to ferment fiber and generate butyrate, thereby compromising the protective effects that butyrate provides.

## **How Butyrate Fights Against Inflammatory Bowel Disease (IBD)**

Inflammatory bowel disease (IBD), which encompasses a range of conditions like Crohn's disease and ulcerative colitis, causes chronic inflammation in your digestive tract. This ongoing inflammation leads to various uncomfortable and sometimes debilitating symptoms, including abdominal pain, persistent diarrhea, weight loss, fatigue and even malnutrition.<sup>3</sup>

The exact cause of IBD is not fully understood, but it's believed to involve a combination of genetic factors, immune system dysfunction and environmental triggers.<sup>4</sup> Because butyrate is produced directly in the colon, the site of inflammation in IBD, researchers have been investigating its benefits for managing these conditions.

Research<sup>5</sup> shows that individuals with IBD often experience a "double hit" — a decline in butyrate-producing microbes and a diminished ability to utilize butyrate effectively. They also have reduced expression of butyrate receptors in the colon, which hampers butyrate uptake. Additionally, inflammatory cytokines like tumor necrosis factor-alpha (TNF $\alpha$ ) reduce butyrate oxidation in intestinal epithelial cells, further impairing its utilization.

Decreased butyrate levels linked to IBD also affect aryl hydrocarbon receptor (AHR) activity, a key signaling pathway that promotes gut health by increasing interleukin-22 (IL-22) expression, which plays a protective role in maintaining epithelial integrity and reducing inflammation.

AHR activity is found to be lower in IBD patients, suggesting that reduced butyrate availability impairs this pathway. Experimental models further support this connection,

demonstrating that AHR activation protects against colitis in mice,<sup>6</sup> highlighting a mechanism by which restoring butyrate levels could improve IBD outcomes.

Clinical research has explored different methods of delivering butyrate directly to the colon, including enemas, which deliver the butyrate directly to the rectum and lower colon.<sup>7</sup> Some clinical trials have demonstrated that butyrate enemas helped reduce inflammation, improve bowel movement frequency and enhance mucosal healing in some patients with ulcerative colitis.

These outcomes are attributed to butyrate's ability to suppress proinflammatory signaling pathways, such as NF- $\kappa$ B, and promote the differentiation of regulatory T cells, which help modulate immune responses.<sup>8</sup> Butyrate also strengthens your gut barrier by enhancing the expression of tight junction proteins, reducing intestinal permeability and preventing the translocation of harmful substances that exacerbate inflammation.<sup>9</sup>

Despite promising results, the effectiveness of butyrate for IBD varies from person to person, and more research is needed to determine the optimal dosage, delivery methods and specific types of IBD that respond best to this treatment.

## **Butyrate as a Powerful Ally in Colorectal Cancer Therapy**

Colorectal cancer is a serious disease affecting the colon or rectum. It often begins as small, noncancerous growths called polyps that form on the inner lining of the colon or rectum. Over time, these polyps become cancerous.

Laboratory studies have demonstrated butyrate's ability to inhibit the growth of cancer cells and even trigger apoptosis, or programmed cell death, helping stop cancer cells from multiplying uncontrollably and spreading to other parts of your body.<sup>10,11</sup>

This effect is related to butyrate's ability to affect gene expression in cancer cells by specifically turning off genes that promote cell growth and turning on genes that promote cell death.<sup>12,13</sup> Moreover, by functioning as a histone deacetylase (HDAC) inhibitor, butyrate alters the chromatin structure to switch off oncogenes that drive

cancer growth while activating tumor suppressor genes that facilitate apoptosis and repair DNA damage.<sup>14</sup>

Clinical evidence supports the role of butyrate as a chemopreventive agent. For example, dietary butyrylated high amylose maize starch (HAMSB) has been shown to deliver significant quantities of butyrate to the colon, leading to increased apoptosis in colonic epithelial cells and reduced markers of DNA damage associated with colorectal carcinogenesis.<sup>15</sup>

A study published in Contemporary Clinical Trials Communications<sup>16</sup> investigated the effects of HAMSB in individuals with familial adenomatous polyposis, a condition characterized by a high risk of colorectal cancer. Preliminary findings show that butyrate supplementation reduced polyp growth and helped lower cancer risk.

Beyond prevention, butyrate is an effective complementary agent in cancer therapy. Its ability to enhance the efficacy of chemotherapy and radiation therapy has been demonstrated in preclinical models.<sup>17</sup>

For instance, butyrate sensitizes cancer cells to 5-fluorouracil and irinotecan, two widely used chemotherapeutic agents, while reducing chemotherapy-induced mucositis. These outcomes are attributed to butyrate's capacity to regulate immune responses, strengthen gut barrier integrity and suppress inflammatory pathways.<sup>18</sup>

## **Butyrate's Role in Combating Metabolic Disorders**

Metabolic disorders, including Type 2 diabetes, obesity and metabolic syndrome, disrupt how your body processes sugar (glucose) and manage energy, leading to serious health issues like heart disease, stroke and kidney disease. At the heart of these conditions is insulin resistance, wherein your cells fail to respond properly to insulin, the hormone that regulates blood sugar levels. This leads to high blood sugar levels, which damage various organs over time.

Research has shown that butyrate improves how your body responds to insulin and regulates blood sugar by activating pathways involved in energy metabolism and

mitochondrial function. By enhancing the activity of key regulators like AMPK and PPARs, butyrate boosts your ability to process glucose and improve cellular energy balance. It also supports pancreatic  $\beta$ -cells, which are essential for insulin production.<sup>19,20</sup>

Moreover, butyrate influences gut-derived hormones that play a significant role in regulating appetite and glucose metabolism, increasing the secretion of hormones like glucagon-like peptide-1 (GLP-1) and peptide YY (PYY). Butyrate also enhances insulin release, suppresses glucagon and promotes feelings of fullness.<sup>21,22</sup> This means better control over blood sugar levels and reduced appetite – factors that are important for managing metabolic disorders.

The chronic inflammation associated with metabolic disorders exacerbates insulin resistance and glucose dysfunction. Butyrate combats this by reducing inflammation by inhibiting HDAC and NF- $\kappa$ B, creating a healthier environment for cells to respond to insulin effectively. Additionally, butyrate supports energy expenditure by enhancing fat oxidation and thermogenesis in brown adipose tissue, further contributing to improved metabolic health.<sup>23,24</sup>

Additional studies using animal models demonstrate the ability of butyrate to improve insulin sensitivity, regulate body weight and reduce inflammation. For example, supplementation with butyrate in mice fed a high-fat diet significantly improved glucose metabolism and prevented weight gain.<sup>25</sup>

## **Understanding Butyrate's Influence on Neurodegenerative Diseases**

Neurodegenerative diseases, such as Alzheimer's and Parkinson's disease, represent some of the most challenging conditions to manage due to their progressive nature and devastating impact on cognitive and motor functions. These diseases are marked by neuronal loss, chronic inflammation, oxidative stress, mitochondrial dysfunction and disrupted synaptic plasticity.

Research on butyrate's therapeutic properties offers a compelling avenue for addressing these multifactorial mechanisms. Studies have shown that butyrate modulates proinflammatory cytokines like TNF- $\alpha$  and IL-1 $\beta$ , which are elevated in neurodegenerative diseases. This counteracts chronic neuroinflammation, a driving factor in neuronal damage and synaptic dysfunction.<sup>26,27</sup>

Animal studies have also demonstrated butyrate's ability to attenuate inflammation in the cerebral cortex and synaptic regions, contributing to improved neuronal health.<sup>28</sup> Its role as an HDAC inhibitor further enhances its neuroprotective potential.

By promoting histone acetylation, butyrate upregulates genes that are vital for neuronal survival, repair and plasticity, including those involved in the production of brain-derived neurotrophic factor (BDNF). BDNF is essential for supporting synaptic health and neurogenesis, both of which are compromised in neurodegenerative conditions.<sup>29</sup>

In Alzheimer's test models, butyrate has been shown to alleviate cognitive deficits by reducing amyloid-beta plaque deposition and enhancing synaptic plasticity.<sup>30</sup> Similarly, in Parkinson's test models, butyrate demonstrated neuroprotective effects by mitigating dopaminergic neuron loss and reducing motor deficits.<sup>31,32</sup>

These effects are likely linked to butyrate's ability to regulate gut microbiota, as gut dysbiosis is increasingly recognized as a factor in the pathogenesis of neurodegenerative diseases. By promoting the growth of beneficial bacteria and increasing the production of endogenous SCFAs, butyrate reinforces the integrity of your gut-brain axis, which plays a vital role in neuroprotection.<sup>33,34</sup>

## **The Integral Role of Butyrate in Gut Health and Immune Function**

Beyond the specific diseases discussed above, butyrate plays a vital role in overall gut health and immune function. Your gut, which houses 70% to 80% of the immune system,<sup>35</sup> serves as a central hub for immune activity. Maintaining this relationship between your gut and immunity requires a balanced microbiome, an intact intestinal barrier and effective immune communication.

Butyrate is central to this harmony, acting as both a fuel source and a signaling molecule that bridges the gut environment with immune function. Regulatory T cells (Treg) are indispensable for immune tolerance, preventing the overactivation of the immune system and protecting against chronic inflammation.<sup>36</sup>

Butyrate enhances Treg function by promoting the expression of FOXP3, a transcription factor that stabilizes these cells. This mechanism helps maintain a balanced immune response, reducing the likelihood of autoimmune conditions and inflammatory damage.<sup>37</sup>

In addition, butyrate strengthens your gut-associated lymphoid tissue (GALT) by enhancing the production of immunoglobulin A (IgA), a mucosal antibody that forms a protective barrier over the gut lining.<sup>38</sup> GALT plays a pivotal role in gut immunity by monitoring intestinal contents and triggering appropriate responses to pathogens while tolerating beneficial bacteria.<sup>39</sup>

As a signaling molecule, butyrate facilitates communication between the gut microbiota and immune cells. It also promotes the growth of beneficial bacteria strains like *Faecalibacterium prausnitzii* and *Roseburia*, which further support a healthy microbiome and immune system. This symbiotic relationship reduces the presence of harmful bacteria and minimizes unnecessary immune responses, preventing tissue damage from excessive inflammation.<sup>40,41</sup>

Your intestinal barrier is another cornerstone of immune health, preventing the translocation of pathogens, antigens and toxins into your bloodstream. Butyrate strengthens this barrier by upregulating tight junction proteins, such as claudin and occludin, which seal gaps between intestinal cells.<sup>42</sup>

Butyrate's immunomodulatory effects also extend beyond the gut. By fine-tuning the activity of macrophages and dendritic cells, butyrate promotes a balance between immune activation and tolerance. This regulation is particularly important in preventing overreactions to harmless stimuli, such as dietary proteins or commensal bacteria, which leads to food allergies or autoimmunity.<sup>43</sup>

# How to Approach Fiber Intake to Boost Butyrate Production

Increasing fiber intake is a key step toward promoting butyrate production. However, this approach assumes you already have a balanced and functional gut microbiome.

Unfortunately, most people today have compromised gut health due to exposure to metabolic toxins, processed foods and other environmental toxins. In such cases, consuming large amounts of fiber does more harm than good.

This presents a complex challenge, as fiber is generally considered essential for gut health, as its fermentation by beneficial bacteria produces the SCFAs needed for cellular energy in the colon, gut barrier integrity and maintaining a low-oxygen environment.

However, in an imbalanced microbiome, this process is hijacked by harmful bacteria. When these bacteria dominate, they ferment fiber in ways that increase endotoxin production, perpetuating gut damage and metabolic dysfunction. Therefore, the key to leveraging fiber's benefits while avoiding harm lies in restoring a healthy balance in your gut microbiome.

Healing your gut starts with creating the optimal low-oxygen environment that beneficial, oxygen-intolerant bacteria need to thrive. An essential strategy is elevating carbon dioxide levels in your gut, which is achieved by **increasing your carbohydrate intake**, particularly easily digestible ones.

If your gut health is severely compromised, I recommend starting with white rice and/or dextrose water – mix pure dextrose with water and sip slowly throughout the day to prevent insulin spikes. After one to two weeks, transition to more complex carbohydrate sources, first from the yellow grouping below, followed by those in the red category.



# CARBOHYDRATE SOURCES

| Green      | Yellow                | Red                 |
|------------|-----------------------|---------------------|
| Dextrose   | Maple Syrup           | Non-Starchy Veggies |
|            | Fruit Juice with Pulp |                     |
| White Rice | Whole Fruits          | Starchy Veggies     |
|            | Custom Pasta          | Beans and Legumes   |
| Sucrose    | Pulp-Free Fruit Juice | Whole Grains        |
|            | Root Veggies          |                     |

Proprietary | NO USE WITHOUT WRITTEN CONSENT | © 2024 Dr. Joseph Mercola | All rights reserved

This approach allows your microbiome to regain balance and ensures that fiber enhances, rather than disrupts, butyrate production. For more guidance on how to repair and optimize your gut health, I recommend exploring the strategies detailed in my new book, "[Your Guide to Cellular Health](#)."

## Introducing the Globally Patented Breakthrough – The First 24-Hour, Full-Colon Butyrate Delivery System

You've likely heard about the new "Akkermansia" probiotic craze. These high-priced probiotics are prized for producing butyrate, a short-chain fatty acid crucial for soothing gut irritation, repairing leaky gut and supporting immune balance.

Despite the benefits, Akkermansia is costly and challenging to grow, making direct butyrate supplementation a more viable solution. However, most butyrate supplements dissolve too early in the small intestine, limiting their effectiveness.

Good news –We've overcome the longstanding challenges of butyrate delivery! Our team is currently developing an advanced liposomal encapsulation that ensures butyrate is released precisely where it's needed, providing coverage throughout your entire colon over a full 24-hour period.

This globally patented system marks a significant breakthrough in gut-health, eliminating the need for expensive probiotic strains and messy enemas.

With our solution, you can continuously fuel your colon with butyrate, bridging the gap between trying and achieving gut repair. Sign up below to be notified when this product goes live. Don't miss the chance to experience the difference comprehensive butyrate coverage can make.

## Sources and References

---

- [1, 2, 5, 7, 8, 9, 10 Clinical Nutrition, Volume 42, Issue 2, Pages 61-75](#)
- [3, 4 StatPearls \[Internet\]. Inflammatory Bowel Disease](#)
- [6 Int J Mol Med. 2018 Feb;41\(2\):868-876](#)
- [11 Scientific Reports, Volume 13, Article number: 5106 \(2023\)](#)
- [12 Am J Physiol Gastrointest Liver Physiol. 2021 Jan 6;320\(4\):G601–G608](#)
- [13 Anticancer Res. 2019 Sep;39\(9\):4659-4666](#)
- [14, 21 Adv Nutr. 2018 Feb 9;9\(1\):21–29](#)
- [15, 16 Contemporary Clinical Trials Communications, Volume 32, April 2023, 101092](#)
- [17, 18 Front Cell Infect Microbiol. 2022 Oct 26;12:1023806](#)
- [19, 24 Front Pharmacol. 2022 Feb 2;12:837509](#)
- [20 Obes Rev. 2022 Jul 20;23\(10\):e13498](#)
- [22 Pharmacological Research, Volume 160, October 2020, 105174](#)
- [23 J. Agric. Food Chem. 2024, 72, 1, 449–460](#)
- [25 JCI Insight. 2023 Feb 22;8\(4\):e166655](#)
- [26 Neurochemistry International, Volume 99, October 2016, Pages 110-132](#)
- [27, 28 Antioxidants \(Basel\). 2022 Dec 20;12\(1\):4](#)
- [29 Journal of Neurochemistry, 110\(4\), 1226–1240](#)
- [30 J Alzheimers Dis. 2020;74\(1\):91-99](#)
- [31 Redox Biology, Volume 71, May 2024, 103092](#)
- [32 Front Pharmacol. 2024 Apr 17;15:1388401](#)
- [33 Neurochemistry International, Volume 99, October 2016, Pages 110-132](#)
- [34 Nutrients. 2023 Feb 13;15\(4\):930](#)
- [35 Nutrients. 2021 Mar 9;13\(3\):886](#)
- [36, 37 Nature. 2013 Nov 13;504\(7480\):451-455](#)
- [38 Science Direct, Gut-Associated Lymphoid Tissue](#)
- [39 Mucosal Immunology, Volume 14, Pages 793-802 \(2021\)](#)
- [40 Biomedicine & Pharmacotherapy, Volume 167, November 2023, 115568](#)
- [41 AMB Expr 11, 33 \(2021\)](#)
- [42 Biology \(Basel\). 2021 Mar 9;10\(3\):205](#)

- <sup>43</sup> J Inflamm Res. 2021 Nov 18;14:6025–6041